2025/11/05 17:16 1/3 MySQL

MySQL

```
$ sudo apt-get install mysql-server
tasksel
               lamp
          : /etc/mysql/my.cnf
MySQL
MySQL
$ mysql
root
$ mysql -u root -p
         mysql
                     test
$ mysql -uroot -p //
mysql> create database test;
mysql
$ mysql -uroot -p -Bse 'create database test'
```

SQL file import

ip

phpMyAdmin

MySQL

\$ sudo apt-get install libapache2-mod-auth-mysql php5-mysql phpmyadmin

- apache2
- dbconfig-common
- localhost/phpmyadmin

MySQL

MySQL . 가

\$ sudo vim /etc/mysql/my.cnf

bind-address

```
# Instead of skip-networking the default is now to listen only on
# localhost which is more compatible and is not less secure.
bind-address = 127.0.0.1
```

mysql

\$ sudo /etc/init.d/mysql restart

InnoDB: Unable to lock ./ibdata1, error: 11

MySQL /var/log/mysql 가

mysql (: 2704)

\$ lsof -i TCP:3306

pid /var/lib/mysql/{honemame}.pid

\$ echo 2704 > /var/lib/mysql/myhost.pid

owner mysql

http://www.obg.co.kr/doku/ Printed on 2025/11/05 17:16

2025/11/05 17:16 3/3 MySQL

\$ chown mysql:mysql /var/lib/mysql/myhost.pid

mysql . mysql

\$ killall mysqld

\$ kill -9 <pid>

• Open Failed: Connect Failed: Connection Refused

• InnoDB: Unable to lock ./ibdata1, error: 11

From:

http://www.obg.co.kr/doku/ - OBG WiKi

Permanent link:

http://www.obg.co.kr/doku/doku.php?id=linux:mysql

Last update: 2020/11/29 14:09

