

# Redmine

## Passenger

```
$ sudo apt-get install libapache2-mod-passenger
```

**redmine**

```
$ sudo apt-get install python-software-properties
$ sudo add-apt-repository ppa:ondrej/redmine
$ sudo apt-get update
$ sudo apt-get install redmine redmine-mysql
```

**/usr/share/redmine /etc/redmine .**

```
$ sudo ln -s /usr/share/redmine/public /var/www/redmine
```

## passenger가 www-data

/etc/apache2/mods-available/passenger.conf

```
<IfModule mod_passenger.c>
  PassengerDefaultUser www-data // 가
  PassengerRoot /usr
  PassengerRuby /usr/bin/ruby
</IfModule>
```

/etc/apache2/sites-available/default ( /etc/apache2/sites-enabled/apache2.sample.conf)

```
<Directory "/var/www/redmine">
  AllowOverride All
  RailsBaseURI /redmine
  PassengerResolveSymlinksInDocumentRoot on
```

```
</Directory>
```

## passenger

```
$ sudo a2enmod passenger
```

## apache

```
$ sudo service apache2 restart
```

http://(IP)/redmine

ID : admin

PW : admin

/

- [Email Configuration](#)

[/etc/redmine/default/configuration.yml](#)

git

- [Redmine - git repository](#)

1. ( ) git
2. repository clone repository 가 init push
3. crontab
4. repository
5. repository , git:www-data
6. git www-data (usermod -g www-data git)

, gitolite	umask	0077	push
0700	<sup>1)</sup>	.	0750

- \$HOME/.gitolite.rc ( )
- \$REPO\_UMASK 0027

2.x redmine plugins

```
$ rake redmine:plugins:migrate RAILS_ENV=production
```

1.x

- <http://www.redmine.org/projects/redmine/wiki/Plugins>

## https SVN

404	https 가 가	SVN . /var/log/redmine	( visual svn) 가	가
				No close tag for /lists/list ...

## libneon

```
$ sudo apt-get remove libneon27
```

## libneon

: <http://packages.debian.org/squeeze/libneon27>

## libneon

```
$ sudo apt-get install libssl0.9.8 // libssl dependency
$ dpkg -i libneon27_0.29.3-3_amd64.deb
```

## libneon

```
$ sudo mv /usr/lib/libneon-gnutls.so.27 /usr/lib/libneon-gnutls.so.27.old
```

```
$ sudo ln -s /usr/lib/libneon.so.27 /usr/lib/libneon-gnutls.so.27
```

## svn

```
$ sudo mkdir /usr/share/redmine/svn
$ sudo chown www-data:www-data /usr/share/redmine/svn
```

svn	.	Redmine	svn	www-data
svn	www-data	.		

## Redmine subversion

/usr/share/redmine/lib/redmine/scm/adapters/subversion\_adapter.rb

```
...
def credentials_string
  str = ''
  str << " --username #{shell_quote(@login)}" unless @login.blank?
  str << " --password #{shell_quote(@password)}" unless @login.blank? || @password.blank?
  str << " --trust-server-cert --no-auth-cache --non-interactive --
config-dir /usr/share/redmine/svn" // --trust-server-cert, --config-dir
/usr/share/redmine/svn  가
  str
end
...
```

## subversion

```
$ sudo -u www-data svn list --xml
'svn+ssh://svn.server.address/reponame'@HEAD --config-dir
/usr/share/redmine/svn
```

가	p	(	)	-config-dir	가
.	.	.	.	.	.

- [https SVN](https://SVN)
- [Error parsing svn output](#)
-

## 14.04

- Gem

```
$ gem install bundler fastercsv
$ gedit /usr/share/redmine/Gemfile
```

가

```
gem 'fastercsv'
```

- 

```
$ touch /usr/share/redmine/Gemfile.lock
$ chown www-data:www-data /usr/share/redmine/Gemfile.lock
```

```
chown -R www-data:www-data /var/www/redmine
```

## 14.04

```
. gem install           가
. /usr/share/redmine   Gemfile
. apt-get dist-upgrade   apt-get --purge remove redmine   redmine
,           /usr/share/redmine           가           . apt-get
dist-upgrade
```

### internal error

```
redmine incompatible character encodings utf-8 and
ascii-8bit      가           ruby-mysql2      가
```

```
$ apt-get install ruby-mysql2
```

```
/etc/redmine/default/database.yml      adapter: mysql      adapter:
mysql2
```

- (Redmine)
- (Ubuntu) 12.04 (Redmine)

1)

<http://gitolite.com/gitolite/g2/rc.html>

2)

<http://stackoverflow.com/questions/23287112/incompatible-character-encodings-utf-8-and-ascii-8bit-on-some-redmine-pages>

From:  
<http://www.obg.co.kr/doku/> - **OBG WiKi**



Permanent link:  
<http://www.obg.co.kr/doku/doku.php?id=linux:redmine>

Last update: **2020/11/29 14:09**